



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0700X/3**

4 Equipment or Protective System: **Type 6905** Pressure/Temperature Sensor**

5 Manufacturer: **Custom Control Sensors Incorporated**

6 Address: **21111 Plummer Street, Chatsworth, California 91311, USA**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa03ATEX0700X/3 to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **0253**

Project File No. **07/0847**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com

Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa03ATEX0700X/3

15 Description of the variation to the Equipment or Protective System

Variation 3.1

To confirm that the equipment covered by this certificate has been reviewed against the requirements of EN60079-0: 2006 EN60079-1: 2004, EN 61241-0: 2006 and EN 61241-1: 2004 in respect of the differences from the Standards to which this certificate was issued; none of these differences affect this equipment.

The units covered by the above variations are coded

⊕ II 2 GD Ex d IIC Ex tD A21 IP67 T85°C (T_{amb} -34°C to +71°C) and T100°C (T_{amb} -34°C to +86°C)

16 Report Number

Baseefa Certification Report 07(CI)0847

17 Additional Special Condition for Safe Use

The equipment is not be used at temperatures outside the range -34°C to +86°C, in accordance with the above codings.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Issue	Date	Description
6905** Sheet 1	P ₁₉	02/09	General Arrangement
6905** Sheet 2	P ₁₉	02/09	Body Detail
6905** Sheet 3	P ₁₉	02/09	Switch Assembly
6905** Sheet 4	P ₁₉	02/09	Electrical Ratings
6905** Sheet 5	P ₁₉	02/09	Alternative Arrangements