



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0700X/1**

4 Equipment or Protective System: **TYPE 6905** PRESSURE/TEMPERATURE SENSOR**

5 Manufacturer: **Custom Controls Sensors Incorporated**

6 Address: **21111 Plummer Street, Chatsworth, California 91311, USA**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa03ATEX0700X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. 0253

Project File No. 04/0224

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa (2001) Ltd.
Health and Safety Laboratory Site, Harpur Hill,
Buxton, Derbyshire SK17 9JN
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216
e-mail info@baseefa2001.biz web site www.baseefa2001.biz
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,
Derbyshire, SK17 9BJ

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa03ATEX0700X/1

15 Description of the variation to the Equipment or Protective System

Variation 1.1

Alternative inlet process actuator mechanism arrangements for inlet pressures up to a maximum of 20,000p.s.i.

Variation 1.2

Optional alternative arrangements incorporating integral cabling of either 3 or 6 wires. These arrangements do not include an internal earth connection and suitable earthing arrangements are the responsibility of the user.

16 Report Number

Baseefa Certification Report 04(CI)0224.

17 Additional Special Condition for Safe Use

It is the responsibility of the user to ensure proper and effective arrangements are made for the earthing of the 3 and 6 wire versions of this equipment either by using the external earth facility provided as the means for effective earth fault protection and equi-potential bonding functions or some other equally effective method.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
6905**	1	P17A	04/04	General Arrangement
6905**	2	P17A	04/04	Body Detail
6905**	3	P17A	04/04	Switch Assembly
6905**	4	P17A	04/04	Electrical Ratings
6905**	5	P17A	04/04	Alternative Arrangements